



Tork Extra Soft Toiletpapir 3 lag

Farve: Hvid



Fordel

- Blødt papir med høj grad af hvidhed
- Nem at åbne funktion
- Visuelt attraktiv



250



29.5 m



9.8 cm



3



Produktspecifikation

Artikel	System	Rullelængde	Rullebredde	Rullediameter	Antal ark	Arklængde	Indvendig kerner diameter	Lag	Prægning	Farve
110316	T4 - Traditionelt toiletsystem	29.5 m	9.8 cm	11.7 cm	250	11.8 cm	4.2 cm	3	Ja	Hvid

Beskrivelse

Almindeligt toiletpapir i høj kvalitet, som passer til alle typer toiletter



Tork Extra Soft Toiletpapir 3 lag

Farve: Hvid

Forsendelsesdata

Forbrugerenhed

EAN	7310791114828
Stk.	8
Materiale	Plastic
Højde	100 mm
Bredde	225 mm
Længde	430 mm
Volumen	9.7 dm ³
Nettovægt	1075 g
Bruttovægt	1127 g

Transportenhed

EAN	7310791114811
Stk.	72
Forbrugerenheder	9
Materiale	Plastic
Højde	300 mm
Bredde	427 mm
Længde	676 mm
Volumen	86.6 dm ³
Nettovægt	9.7 kg
Bruttovægt	10.2 kg

Palle

EAN	7322540006254
Stk.	1296
Forbrugerenheder	162
Højde	1950 mm
Bredde	828 mm
Længde	1200 mm
Volumen	1.6 m ³
Nettovægt	174.2 kg
Bruttovægt	183.6 kg



Tork Extra Soft Toiletpapir 3 lag

Farve: Hvid

Miljø

Content

The fibre composition in the product is virgin fibres

Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control





Tork Extra Soft Toiletpapir 3 lag

Farve: Hvid

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel. This product is approved for Nordic ecolabel.

Date of issue 2013-09-26

Revision date

SCA Hygiene Products AB, Bäckstensgatan, 405 03 Göteborg.

Production

This product is produced in Mannheim mill, DE, certified according to ISO 9001, ISO 14001 and EMAS.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.