Farve: Hvid



# **Fordel**

- •Høj kapacitet: Mindre vedligeholdelse
- •Økonomisk rullelængde
- Papir i god kvalitet
- •Prægning som giver ekstra fylde
- •Trykt med et pænt gråt bladmønster, som vil give toilettet et løft.











# Produktspecifikation

Artikel	System	Rullelængde	Rullebredde	Rullediamete r	Antal ark	Indvendig kernediamet er	Lag	Prægning	Farve
120272	T1 - Jumbotoilets ystem	360 m	9.4 cm	26 cm	1800	5.9 cm	2	Ja	Hvid

## **Beskrivelse**

Tork Dispenser Jumbo (T1) er velegnet til steder med høj brugerfrekvens.



# Forsendelsesdata

# Forbrugerenhed

EAN	7322540472110		
Stk.	1		
Højde	97 mm		
Bredde	260 mm		
Længde	260 mm		
Volumen	6.6 dm3		
Nettovægt	1137 g		
Bruttovægt	1154 g		

# Transportenhed

EAN	7322540472127		
Stk.	6		
Forbrugerenhede r	6		
Højde	282 mm		
Bredde	260 mm		
Længde	520 mm		
Volumen	38.1 dm3		
Nettovægt	6.82 kg		
Bruttovægt	6.98 kg		

# Palle

EAN	7322540736595		
Stk.	216		
Forbrugerenhede r	216		
Højde	1842 mm		
Bredde	800 mm		
Længde	1200 mm		
Volumen	1.4 m3		
Nettovægt	245.60 kg		
Bruttovægt	251.24 kg		



# Miljø

#### Content

Recycled fibres Chemicals

#### Material

### Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners



The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = EU Ecolabel

This product is approved for the EU Ecolabel.

Date of issue 2014-08-29

Revision date 2014-08-29

SCA Hygiene Products AB, 405 03 Göteborg, Sweden

#### **Production**

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

### **Destruction**

This product is suitable to be taken care of in the normal sewage system of the community.

