

	<p align="center"><b>Product Group:</b></p> <p align="center"><b>Plant fibers/PBAT Brown Naturesse product with functional barrier</b></p>	<p align="center"><b>2020.08.20</b> <b>Rev. 0 / MM</b></p>
---	--	--

Products from Greenway-Denmark comply with following Regulations:

<b>EU-Regulation 2023/2006/EC</b>	On good manufacturing practice for materials and articles intended to come into contact with food.
<b>EU-Regulation 1935/2004/EC</b>	On materials and articles intended to come in to contact with food.
<b>EU-Regulation 10/2011/EC</b>	On plastic materials and articles intended to come into contact with food and following amendments.
<b>Directive 94/62/EC</b>	On packaging and packaging waste.
<b>SR 817.023.21</b>	The Swiss ordinance on materials and articles in contact with food.
<b>Regulation no.: 681 of 25/05/2020</b>	Regulation regarding Food Contact Material. PFAS not detectable.

**Art.No.: 18004 , 18005 , 18006 , 18007 , 18008 , 18009 , 18010 , 20982 , 20983 , 20984.**

**Spec.: 011286/e v7**

#### Overall migration

<b>Simulant</b>	<b>Time</b>	<b>Temperature</b>
E: Poly (2,6-diphenyl-p-phenylenoxid) or Tenax	10 d	40 C
E: Poly (2,6-diphenyl-p-phenylenoxid) or Tenax	30 min	200C
Isooctane	30 min	40 C
Alternative simulant Ethanol 95% (V/V)	2 h	60 C
A : Ethanol 10 % (V/V)	10 d	20 C
Alternative simulant ethanol 95% (V/V)	10 d	20 C
Isooctane	10 d	20 C

**Art.No.: 20982 , 20983 , 20984**

**Spec.: 011286/e v7**

<b>Simulant</b>	<b>Time</b>	<b>Temperature</b>
E: Poly (2,6-diphenyl-p-phenylenoxid) or Tenax	0.5 h	220 C
E: Poly (2,6-diphenyl-p-phenylenoxid) or Tenax	2 h	70 C

**PBTA film test**

<b>Simulant</b>	<b>Time</b>	<b>Temperature</b>
E: Poly (2,6-diphenyl-p-phenylenoxid) or Tenax	0.5 h	200 C
Alternative simulant Ethanol 95% (V/V)	2 h	70 C
Alternative simulant ethanol 95% (V/V)	3.5 h	60 C