



# Tork Advanced Aftørningspapir 415 Centerfeed Performance



## Fordel

- Fyldig - stor sugsevne
- Økonomisk i brug - holder i lang tid
- Blød klud



165 m



19.5 cm



1



Food  
contact  
approved  
certified by  
a third party

## Produktspecifikation

Artikel	System	Rullelængde	Rullebredde	Rullediameter	Antal ark	Arklængde	Lag	Tryk	Prægning	Farve
13003400	M2 - Centerfeed- system, stort	165 m	19.5 cm	19 cm	471	35 cm	1	Nej	Nej	Hvid

## Beskrivelse

Ideel klud til mange formål.



# Tork Advanced Aftøringspapir 415 Centerfeed Performance

## Forsendelsesdata

### Forbrugerenhed

<b>EAN</b>	7322540119572
<b>Stk.</b>	1
<b>Højde</b>	195 mm
<b>Bredde</b>	190 mm
<b>Længde</b>	190 mm
<b>Volumen</b>	7.0 dm <sup>3</sup>
<b>Nettovægt</b>	837 g
<b>Bruttovægt</b>	888 g

### Palle

<b>EAN</b>	7322540252132
<b>Stk.</b>	192
<b>Forbrugerenheder</b>	192
<b>Højde</b>	1846 mm
<b>Bredde</b>	800 mm
<b>Længde</b>	1200 mm
<b>Volumen</b>	1.6 dm <sup>3</sup>
<b>Nettovægt</b>	160.62 kg
<b>Bruttovægt</b>	178.46 kg

### Transportenhed

<b>EAN</b>	7322540119589
<b>Stk.</b>	6
<b>Forbrugerenheder</b>	6
<b>Materiale</b>	Carton
<b>Højde</b>	212 mm
<b>Bredde</b>	396 mm
<b>Længde</b>	596 mm
<b>Volumen</b>	50.0 dm <sup>3</sup>
<b>Nettovægt</b>	5.02 kg
<b>Bruttovægt</b>	5.58 kg



## Miljø

### Content

Chemical Pulp, Chemicals

### Material

Virgin fibre Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wetstrength agent Dry strength agent Dye = if coloured Fixing agents Fluorescent whitening agent Glue = if used The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have an ecolabel

Date of issue 2006-06-12

Revision date 2010-03-12

### Production

Material produced at Mannheim mill and product converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

### Destruction

This product is mainly used for personal hygiene and can be collected together with household waste. If used for industrial processes check local regulations for destruction.