

Tork Universal Toiletpapir Rulle



Fordel

- •Traditionelle toiletruller i god kvalitet
- •Velegnet til alle typer toiletter



38.08 m







Produktspecifikation

Artikel	System	Rullelæng de	Rullebredd e	Rullediam eter	Antal ark	Arklængde	Indvendig kernediam eter	Lag	Tryk	Prægning	Farve
12021018	T4 - Traditionel t toiletsyste m	38.08 m	9.9 cm	10.4 cm	272	14 cm	3.8 cm	2	Nej	Ja	Natur

Tork Universal Toiletpapir Rulle

Forsendelsesdata

Forbrugerenhed

EAN	7310791104423		
Stk.	8		
Materiale	Plastic		
Højde	198 mm		
Bredde	104 mm		
Længde	416 mm		
Volumen	8.6 dm3		
Nettovægt	1044 g		
Bruttovægt	1101 g		

Palle

EAN	7322540263923
Stk.	1728
Forbrugerenhede r	216
Højde	1950 mm
Bredde	800 mm
Længde	1200 mm
Volumen	1.9 dm3
Nettovægt	225.40 kg
Bruttovægt	240.95 kg

Transportenhed

EAN	7310791104430		
Stk.	64		
Forbrugerenhede r	8		
Materiale	Plastic		
Højde	200 mm		
Bredde	416 mm		
Længde	832 mm		
Volumen	69.2 dm3		
Nettovægt	8.35 kg		
Bruttovægt	8.92 kg		

Miljø

Content

Recycled fibres, Chemicals

Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are: Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product is approved for Swan label, licence 305 003.

Date of issue 2007-11-06 Revision date 2009-11-02

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.